

PRF TCC

Date 14.8.2015

Previous date: 14.8.2015

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier****1.1.1 Commercial Product Name**

PRF TCC

1.1.2 Product code

PETCC52

1.2 Relevant identified uses of the substance or mixture and uses advised against**1.2.1 Recommended use**

Cleaning agent

1.3 Details of the supplier of the safety data sheet**1.3.1 Supplier**

Taerosol Oy

Street address

Hampuntie 21

Postcode and post office

36220

Postcode and post office

Kangasala Finland

Telephone

03-3565600

Email

heikki.jalava@taerosol.com

1.4 Emergency telephone number**1.4.1 Telephone number, name and address**

09-471 977 tai 09-4711 Myrkytystietokeskus / HUS

PL 340 (Haartmaninkatu 4), 00029 HUS (Helsinki)

2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture****1272/2008 (CLP)**

Flam. Aerosol 1, H222

Flam. Aerosol 1, H229

Aquatic Chronic 2, H411

Skin Irrit. 2, H315

STOT SE 3, H336

2.2 Label elements**1272/2008 (CLP)**

GHS09 - GHS07 - GHS02

Signal word

Danger**Hazard Statements**

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

Precautionary Statements

P102 Keep out of reach of children.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Pressurized container: Do not pierce or burn, even after use.

P262 Do not get in eyes, on skin, or on clothing.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

2.3 Other hazards

PRF TCC

Date 14.8.2015

Previous date: 14.8.2015

3. COMPOSITION/INFORMATION ON INGREDIENTS**3.2 Mixtures****Hazardous components**

CAS/EC and Reg. number	Chemical name of the substance	Concentration	Classification
64742-49-0 265-151-9	Naphtha (petroleum),hydrotreatedlight	40-60%	CLP:Flam.Liq. 2; H225 R 12 Skin.Irrit. 2; H315 R 3 STOT SE 3; H336 R 67 Asp.tox 1; H304 R 65 Aquatic Chronic 2; H411 R 51/53
106-97-8 200-857-2	butan	20-30%	F+; R12 ;Flam. Gas 1, H220; Press. Gas
74-98-6 200-827-9	propan	20-30%	F+; R12 ;Flam. Gas 1, H220; Press. Gas

4. FIRST AID MEASURES**4.1 Description of first aid measures**

Do not induce vomiting: contains petroleum distillates and/or aromatic solvents.

4.1.2 Inhalation

In the case of inhalation of aerosol/mist consult a physician if necessary.

4.1.3 Skin contact

Get medical attention if symptoms occur.

4.1.4 Eye contact

Immediately flush eye(s) with plenty of water.

4.1.5 Ingestion

If swallowed, call a poison control centre or doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard if swallowed - can enter lungs and cause damage.

4.3 Indication of immediate medical attention and special treatment needed

Aspiration hazard

5. FIREFIGHTING MEASURES**5.1 Extinguishing media****5.1.1 Suitable extinguishing media**

ABC powder,Carbon dioxide (CO2)

5.1.2 Extinguishing media which must not be used for safety reasons

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Explosive reaction may occur on heating or burning.

5.3 Advice for firefighters

Alcohol-resistant foam

5.4 Specific methods

Immediately evacuate personnel to safe areas.

PRF TCC

Date 14.8.2015

Previous date: 14.8.2015

6. ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures**
Prevent unauthorised persons entering the zone. Prevent unauthorised persons entering the zone. Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.
- 6.2 Environmental precautions**
Prevent product from entering drains.
- 6.3 Methods and materials for containment and cleaning up**
not determined
- 6.4 Reference to other sections**
not determined

7. HANDLING AND STORAGE

- 7.1 Precautions for safe handling**
Do not use in areas without adequate ventilation. No sparking tools should be used. Do not taste or swallow. Do not spray on a naked flame or any incandescent material. Do not smoke. Do not empty into drains. Do not store near combustible materials. Take precautionary measures against static discharges. Prevent vapour buildup by providing adequate ventilation during and after use.
- 7.2 Conditions for safe storage, including any incompatibilities**
Do not store near combustible materials. Storage of flammable liquids
- 7.3 Specific end use(s)**
not determined

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
not determined
- 8.1.1 Threshold limits**
- | | | | |
|------------|--|---|--|
| 64742-49-0 | Naphtha(petroleum),
hydrotreatedlight | 500 ppm (8 h)
1800 mg/m ³ (8 h) | 630 ppm (15 min)
2300 mg/m ³ (15 min) |
| 106-97-8 | butan | 800 ppm (8 h)
1900 mg/m ³ (8 h) | 1000 ppm (15 min)
2350 mg/m ³ (15 min) |
| 74-98-6 | propan | 800 ppm (8 h)
1500 mg/m ³ (8 h) | 1100 ppm (15 min)
2000 mg/m ³ (15 min) |
- 8.1.2 Other information on limit values**
not determined
- 8.1.3 Limit values in other countries**
not determined
- 8.1.4 DNELs**
not determined
- 8.1.5 PNECs**
not determined
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls**
not determined
- 8.2.2 Individual protection measures**
- 8.2.2.1 Respiratory protection**

PRF TCC

Date 14.8.2015

Previous date: 14.8.2015

Provide adequate ventilation. Do not inhale aerosol. Even in case of a full release, due to the small amount of substances present, it is not expected that exposure limits will be reached.

8.2.2.2 Hand protection

It is good practice in industrial hygiene to avoid contact with solvents by using appropriate protective measures whenever possible.

8.2.2.3 Eye/face protection

Avoid contact with the skin and the eyes.

8.2.2.4 Skin protection

Avoid contact with the skin and the eyes.

8.2.3 Environmental exposure controls

not determined

9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 Important Health Safety and Environmental Information****9.1.1 Appearance**

aerosol

9.1.2 Odour

hydrocarbon-like

9.1.3 Odour threshold

not determined

9.1.4 pH

7

9.1.5 Melting point/freezing point

-10°C

9.1.6 Initial boiling point and boiling range

<-20 °C

9.1.7 Flash point

< 0 °C

9.1.8 Evaporation rate

not determined

9.1.9 Flammability (solid, gas)

Extremely flammable.

9.1.10 Explosive properties**9.1.10.1 Lower explosion limit**

2,3 til-%

9.1.10.2 Upper explosion limit

9,5 til-%

9.1.11 Vapour pressure

not determined

9.1.12 Vapour density

not determined

9.1.13 Relative density

not determined

9.1.14 Solubility(ies)**9.1.14.1 Water solubility**

insoluble

9.1.14.2 Fat solubility (solvent - oil to be specified)

Soluble in hydrocarbons

9.1.15 Partition coefficient: n-octanol/water not determined

9.1.16 Auto-ignition temperature not determined

9.1.17 Decomposition temperature not determined

9.1.18 Viscosity not determined

9.1.19 Explosive properties not determined

9.1.20 Oxidising properties not determined

9.2 Other information

not determined

10. STABILITY AND REACTIVITY**10.1 Reactivity**

Exposure to sunlight.

PRF TCC

Date 14.8.2015

Previous date: 14.8.2015

- 10.2 Chemical stability**
Stable
- 10.3 Possibility of hazardous reactions**
not determined
- 10.4 Conditions to avoid**
Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50 °C.
- 10.5 Incompatible materials**
not determined
- 10.6 Hazardous decomposition products**
not determined

11. TOXICOLOGICAL INFORMATION

- 11.1 Information on toxicological effects**
not determined
- 11.1.1 Acute toxicity**
LD50/oral/rat =>5840 mg/kg OECD Test Guideline 401
LC50/inhalation/ 4 h/rat =>23.3 mg/LOECD Test Guideline 403
- 11.1.2 Irritation and corrosion**
Solvents may degrease the skin. Prolonged skin contact may cause skin irritation.
- 11.1.3 Sensitisation**
not determined
- 11.1.4 Subacute, subchronic and prolonged toxicity**
not determined
- 11.1.5 STOT-single exposure**
Aspiration hazard if swallowed - can enter lungs and cause damage.
- 11.1.6 STOT-repeated exposure**
Prolonged or repeated contact may dry skin and cause irritation.
- 11.1.7 Aspiration hazard**
Aspiration hazard if swallowed - can enter lungs and cause damage.

12. ECOLOGICAL INFORMATION

- 12.1 Toxicity**
- 12.1.1 Aquatic toxicity**
LC50/96h/rainbow trout =10<LC/EC
LC50/96h/algae =10mg/l1
LC50/96h/Sheephead minnows =May cause long-term adverse effects in the aquatic environment.
- 12.1.2 Toxicity to other organisms**
May cause long-term adverse effects in the aquatic environment. Very toxic to fish. Very toxic to algae.
- 12.2 Persistence and degradability**
- 12.2.1 Biodegradation**
Bioaccumulation is unlikely.
- 12.2.2 Chemical degradation**
Readily biodegradable, according to appropriate OECD test.
- 12.3 Bioaccumulative potential**
Bioaccumulation is unlikely.
- 12.4 Mobility in soil**
not determined

PRF TCC

Date 14.8.2015

Previous date: 14.8.2015

12.5 Results of PBT and vPvB assessment

not determined

12.6 Other adverse effects

not determined

13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Do not burn, or use a cutting torch on, the empty drum. Dispose of in accordance with local regulations.

13.2 Waste from residues / unused products

not determined

14. TRANSPORT INFORMATION**14.1 UN number**

1950

14.2 UN proper shipping name

Aerosols

14.3 Transport hazard class(es)

2.1

14.4 Packing group

2

14.5 Environmental hazards

not determined

14.6 Special precautions for users

not determined

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not determined

15. REGULATORY INFORMATION**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

2B - Aerosols

15.2 Chemical safety assessment

not determined

16. OTHER INFORMATION**16.1 Additions, Deletions, Revisions**

REGULATION (EC) No 453/2010

16.5 List of relevant R phrases, hazard statements, safety phrases and/or precautionary statements

R12 Extremely flammable.

R38 Irritating to skin.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R67 Vapours may cause drowsiness and dizziness.

16.8 Additional information available from:

tilaukset(at)taerosol.com